

HORVATH, Janos

I. Cooperative phenomena. Fiz szemle 10 no.9:282-288 § *61.

1. Szegedi Tudomanyegyetem Elmeleti Fizikai Intezete, es "Fizikai Szemle" szerkeszto bizottsagi tagja.

HORVATH, J.

New data on the occurrence of potato viruses with special regard to complex infections. Acta agronom Hung 12 no.1/2:67-81 '63.

1. Laboratorium des Forschungsinstituts fur Pflanzenschutz, Kesztely.

HORVATH, J. 1947

(Hungarian Biological Rsch. Inst. Tihany)

"The Question of the Equality of Somatic and Germ Nuclei in Respect to Heredity and
Survival on the Basis of Study in a Soil Protozoon."

Acta Biologica Hungarica, 1947, 17(193-201)
Abst: in Enc. Med. 1, Vol. III, No. 3, p. 92

CA

Microbiological oxidation of cholesterol with Azotobacter. J. Illyés and A. Krámli (Hungarian Biol. Bull., 1951, No. 1, 162-172/1952).

Research Inst., Tibany). *Nature* **160**, 639 (1947). Cholesterol was dispersed in a culture medium of sucrose, and the mixt. sterilized and added to a culture of an un-identified species of *Aspergillus*. After 14 days' fermenta-
tion the mixt. was hydrolyzed with dil. alkali and then ex-
trd. with benzene. From the residue of the ext. un-
changed cholesterol and methylphenanthrone (from side-
chain splitting) were obtained. Cholestenone (as the
semicarbazone) and 7-dehydrocholesterol (by chromato-
graphic adsorption) were also isolated. An unidentified
species of *Penicillium* (cf. Turtitt, *C.A.* **40**, 4105^a)
formed cholestenone less successfully than the *Aspergillus*.
Carter D. Johnson

APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618210010-2"

CA ~~SECRET~~

11 C

The microbiological transformation of sterols. I. The oxidation of cholesterol by Azotobacter. János Horváth and András Krámlí. *Archiv Biol. Hung.* 18, 1969, 194-198. *A. oxydans* was isolated from (1948); cf. C.A. 42, 1950. This anaerobe decompl. cholesterol to cholestenone and to 7-dehydrocholesterol in 14 days at 34°. Higher aliphatic aldehydes and ketones could be detd. Higher aliphatic aldehydes and ketones could be detd. István Finály among the decompr. products, which seems to prove that the side chain was also split.

HORVATH, J. 1948

(Hung Biol. Res. Inst., Tihany)

"Microbiological Oxidation of Sterols"

Nature, 1948, 162/4120 (619)
No abst. in Exc. Med.

4 111

Histamine treatment and *Streptococcus pneumoniae* morbidity in the guinea pig. A. B. L. Besnak, J. Horvath, and A. G. B. Kovach (Hungarian Biol. Research Inst., Tihany, Lake Balaton). *Arch. intern. pharmacodynamie* 81, 147-58 (1950).—Guinea pigs treated for several weeks with small doses of histamine showed lung changes, including increased mucus secretion. These animals and a control group were injected with *Streptococcus pneumoniae*. Neither group developed pneumonia. Both groups became septicemic, with identical symptoms, but the histamine group resisted a larger dose of bacteria than the control group. M. L. C. Bernheim

HORNATH, 364-1

BW (4)

Chemical Abst.
Vol. 48 No. 4
Feb. 25, 1954
Soils and Fertilizers

Relation between antibiotic properties of species of *Streptomyces* and their soils. J. Horváth, J. Sábinoki, and L. Felföldy (Biol. Inst. Hung. Acad. Sci., Thany, Hungary). *Acta Biol. Acad. Sci. Hung.* 4, 453-70 (1953) (in English).— Expts. were performed to det. the possibility of correlating the chem. and physi. properties (or the flora) of soils with the antagonism of *Streptomyces* (1) to *Micrococcus pyogenes* var. *aureus*, *Bacillus subtilis*, and *Enterichia coli* found in each. No such correlation was found. A dextrose-casein (pH 6.5) culture medium was used for the antibiotic tests. A table lists pH (4.5-7.3 range), salt content, (conductometric method), carbonate content, org. C (from which humus content is calc'd.), N (Kjeldahl method), Ca, Na, K, and P content for soils of 10 habitats. Too much elution, by ground water or pptn., appears to produce soils whose I are not antibiotic. In soils rated as less than 25-30 years of age no antibiotic strains of any kind could be found. T. Lloyd Fletcher

HORVATH, J.

"The reactionary gene theory in microbiology." p. 465. (Termeszeti és Technika, Vol. 112, no. 8, Aug 53, Budapest)

SO: Monthly List of East European Accessions, Vol 3 No 2 Library of Congress Feb 54 Uncl

HORVATH, János

Contribution to the biology of quantitative changes in antibiotic production based upon investigation of a *Streptomyces* species.
Acta microb. hung. 1 no.1-3:131-140 1954.

1. Biological Research Institute of the Hungarian Academy of Sciences, Department of Microbiology, Tihany; received July 31, 1954.

(*STREPTOMYCES*

antibiotic prod., eff. of refrigeration & ultraviolet
irradiation)

(*ULTRAVIOLET RAYS, eff.*
on antibiotic prod. by *Streptomyces* species)

(*REFRIGERATION, eff.*
on antibiotic prod. by *Streptomyces* species)

HORVATH, J.; MARTON, M.; OROSZLAH, I.

Vegetative studies of hybridization in *Streptomyces*. *Acta microb.*
hung. 2 no.1-2:21-37 1954.

1. Biologisches Forschungsinstitut der Ungarischen Akademie der
Wissenschaften Tihany, und Mikrobiologischer Lehrstuhl der
Agrarwissenschaftlichen Universität, Godollo.

Chair of Microbiology

(STREPTOMYCES
hybridization)

(HYBRIDITY
hybridization of *Streptomyces*)

~~EXCERPTA MEDICA Sec.4 Vol.9/8 Microbiology etc. Aug 56~~

1914 HORVATH J. Lehrstuhl für Mikrobiol., Agrarwissenschaftl. Univ., Göcsej. "Apparatus zur Verbesserung der Agarscheibenmethode. A new apparatus for the simplification of the agar disc method." ACTA MICROBIOLOGICACAD. SCIENT. HUNG. (Budapest) 1954, 3/1-2 (219-223) Illus. 3

The agar disc method recommended by Paper for the detection of antibiotic production and the determination of antibacterial effects has the disadvantage that cutting out of the agar plate and transferring them to the other plates is somewhat difficult. The special apparatus constructed by the author eliminates those difficulties. A picture of the apparatus is given and details of use are described.

"APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618210010-2

ties. A picture of the apparatus is given and details of use are described.

Forrest - Budapest

XUNIV. OF AGRI. SCI., 7-03-110. 2c

APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618210010-2"

HORVATH, J.

HORVATH, J. Apparatus for improvement of the agar disc method. In German. p. 219.
Obituary for Daniel Fehér. In German. p. 225.

Vol. 3, No. 1/2, 1955
ACTA MICROBIOLOGICA
SCIENCE
Budapest, Hungary

See: East European Accession, Vol. 5, No. 5, May 1956

HORVATH, J.

New contributions to permanent heterokaryosis of streptomyces. Acta
microb. hung. 6 no.3:209-215 1959.

1. University of Agricultural Science, Microbiological Department,
Godollo. Acta microb. hung. 6 no.3:209-215 1959.
(STREPTOMYCES)

HORVATH, J.; BUDAY, F.

On the effect of *Streptomyces aureofaciens* cultures on antibiotic-producing capacity of various *Streptomyces* species. *Acta microb. hung.* 6 no.3:227-232 1959.

DEPT.
1. Institut für Mikrobiologie der Agrarwissenschaftlichen Universität,
Godollo.

(STREPTOMYCES)

HORVATH, Janos, Dr., tanszekvezeto (Godollo, Agrartudomanyi Egyetem)

Investigation of heterokaryozis and its relation with recombination
in streptomyces. Biol kozl 9 no.1:25-39 '61.

1. Agrartudomanyi Egyetem, Mikrobiologiai Tanszek, Godollo.

HORVATH, J.

Recombination in streptomyces of heterokaryotic origin. Acta
microbiol. Hung. 9 no.2:189-195 '62.

1. Institute of Microbiology (Director: J. Horvath) University of
Agricultural Sciences, Godollo.
(STREPTOMYCES)

TOROK, Gabor; CSABA, Gyorgy; HORVATH, Janos

Effect of heparin on the frequency of mutations induced on
Streptomyces. Biol kozl 10 no.1:51-57 '62.

1. Agrartudomanyi Egyetem Mikrobiologiai Tanszek, Godollo. Tan-
szekvezeto: Dr.Janos Horvath egyetemi tanar, es Budapesti Or-
vostudomanyi Egyetem Szovettani es Fejlodestani Intezet.
Igazgato: R. Imre Toro egyetemi tanar, akademikus. 2. Biologiai
Kozlemenyek" szerkeszto bizottsagi tagja (for Horvath).

*

L 47277-66

ACC NR: AFG034677

SOURCE CODE: HU/0014/65/098/009/0005/0391
HORVATH, Janos, Diplomatic Metallurgical Engineer, of the Directorate for
Ferrous Metallurgy (Vaskohaszati Igazgatosag) and
SZUCS, Ambrus, Technician, of the Metallurgical Works (Kohaszati Uzemek)
in Ozd.

21

B

"Evaluation of Various Binders Added to Sintering Mixes of Ores"

Budapest, Koheszati Lapok, Vol 98, No 9, Sep 1965, pp 385-391.

Abstract: Vinyl polymer, polyacrylamide, bentonite, red sludge from alumina manufacture, sludge from furnace-gas washing, manganese sludge from the enriching of manganese-bearing ores, carbide-lime, and lime were investigated as to their ability to improve the pellets in sintering mixtures and as to the optimum ratio of admixture. The details of the experimental studies, presented in detail, indicated that the sludges and limes performed best under a variety of conditions; however, some of the others also performed well under specific conditions of use.

Orig. art. has: 7 figures, 2 formulas and

4 tables. [JPM]

TOPIC TAGS: metallurgic research, vinyl plastic

SUB CODE: 11 / SUBM DATE: none / OTH REF: 001

DDC: 622.78:646.9

Card 1/1 *pla*

L 46893-66 E/F/P(e)/E/F/P(v)/E/F/T(j)/T FV/RM/WH

ACC NR: AP6034300

SOURCE CODE: HU/0014/66/000/005/0204/0211

HORVATH, Janos, Diplomate Metallurgical Engineer, of the Directorate for Ferrous Metallurgy (Vaskohaszati Igazgatosag), and SZUCS, Ambrus, of Ozd Metallurgical Works (Ozdi Kohaszati Uzemek) in Ozd.

28
B

"Effect of Binders on the Process and Economy of Ore Sintering"

Budapest, Kohaszati Lapok, Vol 99, No 5, May 1966, pp 204-211.

Abstract: The purpose of this article is to provide additional data on the effects of various binders on the formation of raw pellets and on the binding performance of these binders in such pellets. The initial data were presented Ibid., 1965, No 9 [volume number and page numbers not given]. This paper discusses the effects of the binders on the sintering process, productivity, strength of pellets, and manufacturing economy. The relevant data for vinyl polymer, polyacryloamide, bentonite, red sludge, furnace gas washing sludge, furnace gas washing sludge plus calcined lime, manganese sludge, carbide lime, hydrated lime, and calcined lime binders were presented and discussed. Each binder was assessed at to its overall performance in terms of the factors investigated.

Orig. art. has: 7 figures and 2 tables. [JPRS 36,867]

TOPIC TAGS: vinyl plastic, sintering

SUB CODE: 11 / SUBM DATE: none

Card 1/1 FV

0920 1001 UDC: 669.162.17662.781669.162.27

HORVATH, Janos

Problem of the entropy growth. Magy fiz folyoir 13 no.1:19-
46 '65.

1. Institute of Theoretical Physics of Attila Jozsef
University, Szeged.

HORVATH, Janos

Remarks about the theory of the absorption and emission spectra
of fluorescent molecules. Magy fiz folyoir 13 no.2:195-206 '65.

1. Institute of Theoretical Physics of Attila Jozsef
University, Szeged. Submitted September 6, 1964.

HORVATH, Janos

Dispersion relations in classical physics. Fiz szemle 15
no.1:7-16 Ja '65.

1. Institute of Theoretical Physics of Attila Jozsef University,
Szeged, and Editorial Board Member, "Fizikai Szemle."

HORVATH, Janos, dr.

Genetic effects of the heterokaryosis of Streptomyces. Elovilag
6 no.5:7-12 S-0 '61.

*

HORVATH, Janos, dr., egyetemi tanar

Newer aspects of the variability of fungi pathogenic for plants.
Ellovilag 8 no. 2:30-37 Mr-Ap '63.

HORVATH, Janos, okleveles gépészmernök, kazanbizztos

Most recent experimental results in the natural water circulation of high-pressure boilers. Energia es atom 17 no. 2: 81-84 F '64.

1. Mórotechnikai Kutató Intézet.

HORVATH, Janos, okleveles gepeszmernok, kazanbiztos

Combined computation of radiator grille systems in furnaces
with natural water circulation. Energia es atom 18 no.2/3;
102-103 F-Mr '65.

HORVATH, Jeno, belsoepitesz

An exhibition of apartment living, Berlin, 1962. Faipar 13
no.1:9-12 Ja '63.

1. Faipari Gyartastervező Iroda.

KERTAY, Nandor, dr.; VEN, Ferenc, dr.; HORVATH, Jozsef, dr.

Isolation of *Mycobacterium tuberculosis* bovin in human tuberculosis
in the Kiskoros Region. Nepegeszsegugy 42 no.2:41-43 F '61.

1. Kozlemeny az Orszagos Koranyi Tbc. Intezet (igazgato-foorvos:
Boszormenyi Miklos dr. kandidatus, tudomanyos vezeto: Foldes Istvan
dr. kandidatus) mikrobiologiai osztalyarol (vezeto: Kertay Nandor
dr. kandidatus), a kiskorosi jarasi tbc. gondozo intezetbol
(vezeto: Ven Ferenc dr. foorvos) es a jarasi allaroversi invatalbol
(vezeto: Horvath Jozsef dr. foallatorvos).
(*MYCOBACTERIUM BOVIS*)

PETRANYI, G.; HORVATH, J.

The significance of bronchoscopy in the differential diagnosis of
bronchadenitis tuberculosis complications. Gyermekgyogyaszat 4 no.5:
137-148 May 1953. (GIML 25:1)

1. Doctors. 2. Children's Tubercular Home and Therapeutic School
(Head Head-Physician -- Prof. Dr. Gyozo Petranyi) of Fourth District
Metropolitan General Hospital (Director - Head Physician -- Dr.
Budolf Devenyi).

1/24/2001 - 23ct
HORVATH, Ferenc; HORVATH, Jozsef

Clinically cured case of slightly differentiated spindle cell bone sarcoma. Magy. radiol. 9 no.4:224-228 Dec 57.

1. Budapesti Orvostudomanyi Egyetem Rontgenklinikajának Kozlemenye
Igazgató: Batkoczy Nandor egyetemi tanár,

(SPINE, neoplasms

spindle cell sarcoma, case report (Hun))

(SARCOMA, case reports

spindle cell sarcoma of spine (Hun))

HORVATH, Ferenc, dr.; HORVATH, Jozsef, dr.; ERDOS, Bela, dr.

The significance of ureteral dislocation in the diagnosis of retro-peritoneal lymph node metastases. Orv. hetil. 102 no.20:931-933
14 My '61.

1. Budapesti Orvostudomanyi Egyetem, Rentgenklinika.

(RETROPERITONEAL SPACE neoplasms)
(LYMPH NODES neoplasms)
(URETER pathology)

HUNGARY

HORVATH, Jozsef, Dr; Hospital of the Megye Council of Hajdu-Bihar, Urological Ward (chief physician: DIOSZEGHY, Gyorgy, Dr) (A Hajdu-Bihar Megyei Tanacs Korhaza, Urologiai Osztaly).

"Urethral Stones of the Male in General, in Connection With a Case of an Unusually Large Stone Located Dorsally."

Budapest, Magyar Sebeszet, Vol XVI, No 5, Oct 63, pages 330-334.

Abstract: Urethral stones are classified and discussed according to their origin and location, by the author. The symptoms and differential diagnosis are described. The clinical history of a 66 year-old male patient with a fist-sized carbonate stone in the urethra and the surgical and postoperative treatments are described. Of 46 references about two-third are Eastern European, the rest are Western.

1/1

APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618210010-2"

H/502/62/031/001/002/002
D409/D301

11.9100

AUTHORS: Steingaszner, Pál (Budapest) and Horváth, József
(Pétfürdő)

TITLE: On hydrorefining of lubricating-oil fractions

SOURCE: Academia scientiarum hungaricae. Acta chimica, v. 31,
no. 1-3, 1962, 195-206

TEXT: The High-Pressure Research Institute in Budapest-Pétfürdő has conducted hydrorefining experiments with furfural-extracted lubricating-oil cuts obtained from sulphur-rich Soviet crude. The tests were made in a 200 ml laboratory reactor over a nickel-molybdenum-alumina catalyst at reaction temperatures of 230 - 410°C and pressures of 20 - 80 atm. It was found that the reaction pressure has no influence on the yield and the quality of hydrogenated products, and that the viscosity, viscosity index, and sulphur content of obtained products depends merely on the reaction temperature. This temperature should not exceed 340 - 360°C to avoid undesired viscosity decrease and formation of light distil- X

Card 1/2

H/502/62/031/001/002/002

D409/D301

On hydrorefining ...

lates. The lubricating-oil yield at this temperature range amounts to 95%, the ageing stability is satisfactory, and the oil can be classified as SAE-30. Higher hydrorefining temperatures should only be applied for oil grades where considerably higher viscosity indices are desired. (To attain a viscosity index of 80, the reaction temperature must lie above 370°C, however, the obtained oil can only be classified as SAE-20). The tests also showed that the oxidation stability of the oil increases with decreasing sulphur contents, a result which is in contradiction to the oxidation-inhibiting effect of sulphur compounds as postulated by various authors. Credit is given to Professor M. Freund, E. Vámos, and Gy. Mózes of the MÁFKI Hungarian Crude-Oil and Natural-Gas Research Institute. There are 7 figures and 4 tables. The most recent English-language reference is : Butler, Katzmark, 5th World Petroleum Congress, Sect. III, Paper 11, New York, 1959. X

ASSOCIATION: High-Pressure Research Institute, Budapest-Pétfürdő

SUBMITTED: September 15, 1961

Card 2/2

H/502/62/031/001/001/002
D409/D301

AUTHORS: Bánkóvi, Gy., Sarkadi, K., Horváth, J.^{Aut} and Jakob, K.

TITLE: The design and evaluation of diesel-oil desulphurization experiments by mathematical-statistical methods

SOURCE: Academia scientiarum hungaricae. Acta chimica, v. 31, no. 1-3, 1962, 23-30

TEXT: The High-Pressure Research Institute in Budapest - Pétfürdő is conducting research on hydrorefining of sulphur-rich diesel-oil cuts obtained from Soviet crude. To facilitate the tedious experiments, the mathematical-statistical method of so-called factorial experiments with partial repetition was used and is described in this article. This widely used method was slightly modified to meet the requirements of experiments aimed at determining the influence of operating conditions on the efficiency of the hydrorefining process. The test results can generally be formulated

$$z = f(u, v, x, y) + \varepsilon_{u, v, x, y}$$

Card 1/3

H/502/62/031/001/001/002
D409/D301

The design and evaluation ...

where $f(u, v, x, y)$ is the systematic influence of operating conditions (pressure, temperature, space velocity, and gas-to-product ratio), and $\epsilon_{u, v, x, y}$ are random variables with expectation zero. Using this mathematical model and some simplifying assumptions (neglect of higher-order interactions), it was possible to reduce hydro-refining experiments from 81, i.e. all possible combinations of the four factors in three levels, to only 36 at an estimated error (block design) of $\pm 4 - 5\%$. The hydrorefining tests proper were performed in a 200 ml laboratory-scale and a 400 l semi-production scale reactor. It was found that the desulphurization efficiency could be increased by raising the reaction temperature (to 360 - 390°C) or pressure, and reducing the space velocity. An optimum desulphurization degree was attained at a gas-to-product ratio of 500 Nm³/m³. There are 2 figures and 1 table. The English-language references are: O. Kempthorne: The Design and Analysis of Experiments. (Wiley, New York) 1952; D.J. Finney: An Introduction to the Theory of Experimental Design. (The University of Chicago Press) 1960; K.A. Brownlee: Industrial Experimentation. 1947.

Card 2/3

H/502/62/031/001/001/002
D409/D301

The design and evaluation ...

ASSOCIATION: Mathematical Institute of the Hungarian Academy of Sciences, Budapest V. Reáltanoda u. 13-15 (György Bánkóvi and Károly Sarkadi): High-Pressure Research Institute, Budapest-Pétfürdő, Lenin ut 91, Hungary (József Horváth and Károly Jakob)

SUBMITTED: September 15, 1961

Card 3/3

KISS, Gyula, fomernok; HORVATH, Jozsef, fofelugyelo

Method for calculating economy at plants preparing homogeneous products. Energia es atom 15 no.1:29-37 Ja '62.

1. Magyar Beruhazasi Bank.

(Hungary—Industrial management)

HORVATH, Jozsef; NOVAK, Mihaly; HIRES, Jozsef

Theoretical studies on the current and potential requirements of cathodic protection on the basis of Pourbaix diagrams. Magy kem folyoir 69 no.2:75-81 F '63.

1. Szegedi Tudomanyegyetem Altalanos es Fizikai Kemial Tanszeke.

HORVATH, Jozsef

Viscose rayon fiber yarn produced by the shortened spinning process. Przegl wlokienn 16 no.7/8:374-379 Jl-Ag '62.

1. Magyar Gyapjufone es Szövögyar, Budapest.

HORVATH, Jozsef, egyetemi tanarseged (Budapest)

Examples in applying materialistic dialectics. Term tud kozl 5
no.6:257-259 Je '61.

KAPOSVARI, Kalman; KEULER, Jeno; BANOCZY, Gyorgy; CSEKE, Lajos;
ARATO, Geza; HORVATH, Jozsef; SEBESTYEN, Endre; BERES, Gyorgy;
KARDOS, Gyorgy

Remarks about Agoston Vecsey's lecture entitled "Production development trends in the Hungarian heavy-current cable and electric line manufacture; cooperation with the Council for Mutual Economic Assistance countries." Villamosag 8 no.2-3: 82-86 F-Mr '60.

1. Koho- es Gepipari Miniszterium Erosaramu Berendezesi Igazgatosag iparagi fomernoke (for Kaposvari). 2. Villamosgep- es Kablegyar osztalyvezetoje (for Keuler). 3. Villamosipari Kutato Intezet tudomanyos munkatarsa (for Kardos). 4. EM Szereleipari Tervezo Vallalat; "Villamosag" szerkeszto bizottsagi tagja (for Banoczy). 5. Magyar Elektrotechnikai Ellenorzo Intezet (for Cseke). 6. Transelektro, Kulkereskedelmi Miniszterium (for Arato). 7. Koho- es Gepipari Miniszterium Tervezoi Irodai (for Horvath). 8. Vegyimuveket Tervezo Vallalat (for Sebestyen). 9. Kabel- es Sodronykotelgyar (for Beres).

197. The Role of Sulfate Reduction, and Its Demonstration in the Soil. *A szulfátreductáló szerepe a klorotáknak a talajokban*. János Balogh, József Horváth, Mihály Solti, and László János Mogyoró Kiss. *Magyar Termelő-Polgári*, '60, no. 8, May 1964, p. 94-95.

Studies on sulfate-reducing bacteria in soils. 6 ref.

HORVATH, József

4404* Laboratory Investigation of the Corrosive Effect of
Various Types of Soils. Különös talajtípusok korroziós
hatásának laboratórium vizsgálata. I. Denison-Cell In-
vestigations. Denison-cells vizsgálata. (Hungarian.) Mihály
Solti and József Horváth. Magyar Kémiai Folyóirat, v. 61, no.
12, Dec. 1953, p. 427-437.

Corrosivity of nine different types of soils investigated with
steel electrodes in a modified Denison cell. Tables, graphs,
micrographs, diagrams. 18 ref.

HC ①

HORVATH, Jozsef

Data on the mechanism of anaerobic microbiological corrosion. I.
Interpretation of the effect of sulfate reducing bacteria on the
basis of polarization curves. Magy kem folyoir 68 no.1:5-9 Ja '62.

1. Szegedi Tudomanyegyetem Altalanos- es Fizikai-Kemial Intezete.

(Bacteria, Anaerobic) (Sulfates)
(Corrosion and anti-corrosives)
(Electrochemistry)

HORVATH, Jozsef

Data on the microbiological corrosion mechanism of anaerobic bacteria.II. pH value of medium, correlations between the precipitation place of solid corrosion products and corrosion velocity in case of iron and steel. Magy kem folyoir 68 no.2: 54-59 F '62.

1. Szegedi Tudomanyegyetem Altalanos es Fizikai-Kemial Intezete.

HORVATH, Jozsef, dr.; NOVAK, Mihaly

Contributions to the mechanism of anaerobic microbiological corrosion.
II. Acta chimica Hung 33 no.2:221-235 '62.

I. Institute of General and Physical Chemistry, University of Szeged,
Rerrich Bela ter.

HORVATH, Jozsef; NOVAK, Mihaly

Data on the microbiological corrosion mechanism of anaerobic bacteria. III. Investigation of reduction-oxidation potentials, p_H and the correlations of the composition of corrosion products by means of Pourbaix diagrams. Magy kem folyoir 68 no.2:60-65 F '62.

1. Szegedi Tudomanyegyetem Altalanos es Fizikai-Kemial Intezete.

HORVATH, Josef; NOVAK, Mihaly

Electrochemical investigation of the corrosion of red copper
in aqueous sulfur-hydrogen solutions. I. Interpretation of
electrode potential and polarization data on the ground of
the equilibrium diagram of the Cu-S-H₂O ternary system potential-
pH. Magy kem folyoir 68 no.5:198-198 My '62.

1. Szegedi Tudomanyegystem Altalanos- es Fizikai-Kemial Tan-
szeke.

HORVATH, Jozsef, dr., tudomanyos munkatars

Science for increased production in agriculture; some properties
and diagnosis of potato viruses. Term tud kozl 7 no.6:265-268
Je '63.

1. Növényvedelmi Kutato Intezet, Keszthely.

ZOMBORI, Janos, tudomanyos fcmunkatars; HORVATH, Jozsef, tudomanyos munkatars

International situation of tractor production and tractor development. Jarmu mezo gep 11 no.8:296-306 Ag '64.

1. Experimental Institute of Agricultural Machinery, Budapest.

HORVATH, Jozsef, dr.

On urethral calculi in the male in general, apropos of an exceptionally large calculus in the distal urethra. Magy. sebesz. 16 no.5:330-334 0 '63.

1. A Hajdu-Bihar Megyei Tanacs Korhaza Urologiai Osztalyanak
(foorvos: Dioszeghy Gyorgy dr.) kozlemenye.
(URETHRA) (URINARY CALCULI)
(DIAGNOSIS, DIFFERENTIAL)
(PROSTATIC NEOPLASMS)
(SURGERY, OPERATIVE) (UROGRAPHY)

HUNGARY

HORVATH, Jozsef, Dr, NOVAK, Mihaly, HIRES, Jozsef, Dr; Institute of General and Physical Chemistry, The University, Szeged [original language version not given].

"Theoretical Studies on the Potential and Current Requirements of Cathodic Protection on the Basis of Pourbaix Diagrams."

Budapest, Acta Chimica Academiae Scientiarum Hungaricae, Vol 38, No 2, 1963, pages 151-165.

Abstract: [English article, authors' English summary modified] The potential and current requirements of cathodic protection in soils and natural waters with different chemical compositions have been demonstrated on the basis of potential-pH equilibrium diagrams using the systems Fe-H₂O, Fe-S-H₂O and Fe-H₂CO₃-H₂O. It was concluded that in aqueous media which contain no complex forming agents or anions which may form solid salts with the metal to be protected, the protective potential -0.85 V (against Cu/CuSO₄ reference electrode) generally accepted in practice, may be quite sufficient. In aqueous media which contain Ca and Mg bicarbonates, cathodic polarization promotes the formation of a solid protective layer, mainly consisting of Ca, Mg and Fe carbonates, which decreases current requirements. In soils and waters which contain hydrogen sulfide, however, more negative protective potentials are necessary. In soils which contain sulfate-producing bacteria, a protective potential of -0.95 V may be sufficient, in aqueous solutions saturated with hydrogen sulfide, however, potential requirements are much higher. Potential and current requirements of cathodic protection are also demonstrated on schematic polarization diagrams. 19 Western, 2 Hungarian references.

NOVAK, Mihaly; HORVATH, Jozsef; HIRES, Jozsef

Remarks about the calculating method for corrosion velocity developed by Holler, Scherdtfeger and McDorman. Magy kem folycir 69 no.4:175-176 Ap '63.

1. Szegedi Tudomanyegyetem Altalanos- es Fizikai-Kemial Tanszeke.

APPROVED FOR RELEASE: 09/21/2001 CIA-RDP86-00513R000618210010-2"

HORVATH, Dr. Jozsef, Department of Urological Surgery, Hajdu-Bihar Megye Osztaly (Chief Physician: Dr Gyorgy DIOSZEGHY) of the Hajdu-Bihar Megye Council Hospital (Hajdu-Bihar Megyei Tanacs Korhaza)(Director: Dr Geza MANYI), Debrecen.

"Evaluation of Perineal Prostate Needle Biopsies"

Budapest, Magyar Sebeszet, Vol 19, No 3, Jun 66; pp 203-207.

Abstract: Perineal needle biopsy was performed in 60 cases of prostate disease. The method is simple, free of complications, and recommended for the diagnosis of prostate diseases. The biopsy was carried out with a Vim-Silverman type needle; in cases of suspected tumors the diagnosis is 43.8% certain. (47 References, predominantly Western).

BENYOVSZKY, Moric, fotechnologus; DERY, Ferenc; SZASZ, Jozsef;
HORVATH, Jozsef; KAIMAN, Lajos; SARI, Vince

Prevention of foundry hazards by technological measures.
Koh lap 96 no. 5: Supplement: Ontode 14 no. 5: 106-112
My '63.

1. KGMTI (for Benyovszky).

MATHE, Gyergy, okleveles gépészmérnök; HORVATH, József; HIRSCH, Lajos; ROTH, Kalman

Some questions relating to the ventilation and dust extraction in foundries. Koh lap 96 no. 6; Suppl. Óntode 14 no. 6; 128-136 Je '63.

1. Designing Offices of the Ministry of Metallurgy and Machine Industry, Budapest.

NOVAK, Mihaly; HORVATH, Jozsef

Remarks about the methods of Schwerdtfeger and Stern for
corrosion rate determination. Pt.2. Magy kem folyoir 70
no.10:453-457 O '64.

1. Chair of General and Physical Chemistry, Attila Jozsef
University, Szeged.

HORVATH, J.

"Successful Introduction of F-5 in Varpalota Mines." p. 14
"Cycle Norm, Cycle Graph." p. 14
"Smelter Innovators Make a Pledge." p. 15
"Contest for the Title "Best Innovator of the Enterprise." p. 15
"Diary of Innovations." p. 16
(Ujito Lapja. Vol. 5, no 5 Mar. 1953 Budapest.)

Vol 3. no. 6
SO: Monthly List of East European Accessions, Library of Congress, June 1954, Uncl.

HORVATH, J.

"This is how the Soviet loader BCS-1 helps our miners" p. 11, "Metal shaving contest at Diósgyör" p. 11, "Two successful experience-exchange introductions in the building industry" p. 12, (UJITOK LAPJA, Vol. 5, no. 7, April 1953, Budapest, Hungary)

SO: Monthly List of East European Accessions, L. C., Vol. 2, No. 7, July 1953,
Uncl.

HORVATH, J.

"Measuring mine props with special attention to closed arches." *Bányászati Lapok*,
Budapest, Vol. 9, No. 5, May 1954, p. 238.

SO: Eastern European Accessions List, Vol. 3, No. 11, Nov. 1954, L.C.

HORVATH, J.

"Innovators in the battle for coal", p. 6

"Results This Year in the Duclos Mining Machinery Plant", p. 8

"A New Industrial Branch Emerges; Peat Production", p. 8

"The Planning of Tasks in Komlo", p. 9

"Innovation Work of Mining Planners", p. 9 (UJITOK LAPJA, Vol. 6, no. 3, Feb. 1954, Budapest, Hungary).

Source: Monthly List of East European Accessions, LC, Vol. 3, no. 5, May 1954/Uncl.

HORVATH, J.

HORVATH, J. Conference on technological development of coal mining. p. 13
Vol. 7, no. 17, Sept. 1955. UJITOK LAPJA. (Orszagos Talalmanyi
Hivatal() Hungary.

Source: East European Accessions List (EEAL), Library of Congress Vol. 5,
no. 6, June 1956

HORVATH, J.

National conference on coal mining. p. 8.
Innovators invited to lead in the liberation contest. p. 9.
Principal tasks of innovation in the electric power industry. p. 11.
Development of our electric technical experts. p. 12.
EDITORIAL, BUDAPEST, Vol. 7, no. 1, Feb. 1955.

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 4, no. 10, Oct. 1955,
Uncl.

HORVATH, J.

From the first battle for coal to the new battle for coal. p. 3.
UJITOK LAPJA, Budapest, Vol. 7, no. 14, July 1955.

SO: Monthly List of East European Accessions, (EEL), L1, Vol. 4, no. 10, Oct. 1955,
Uncl.

HORVATH, Jozsef, dr., Min. Eng.

Influence of surface loads on underground supports. Izvestiia Bany
KI no.5:67-74 '61.

HORVATH, Jozsef, okl.banyamernok

Development of steel ring support system in Hungary.
Bany lap 94 no.12:804-810 D '61.

1. Banyaszati Kutato Intezet, Budapest.

HORVATH, Jozsef, okleveles banyamérnök

Calculation of the load capacity of surface foundations affecting the safety of the work. Bányi lap 96 no. 3:145-152 Mr '63.

1. Bányászati Kutató Intézet osztalyvezetője, Budapest.

HORVATH, J.; Tobisch, F.; VARAVI, P.

An interesting fault of viscose fiber. p. 161.

MAGYAR TEXTILTECHNIKA. (Textilipari Muzsaki es Tudomanyos Egyesulet)
Budapest, Hungary. Vol. 11, 4, Apr. 1959.

Monthly List of East European Accessions (EAI) LC, Vol. 8, no. 2, July 1959.
Uncl.

HORVATH, J.

"Determination of wool fineness by lanameter type 2-12-1/b." In English
p. 115.

PERIODICA POLYTECHNICA. (Budapesti Muszaki Egyetem) Budapest, Hungary
Vol.3, No. 1, 1959.

Monthly List of East European Accessions(EEAI) LC, Vol. 8, No. 6, June 1959
Uncl.

HORVATH, Jozsefne, okl. gepeszermernok; MOHR, Ferenc, okl. vegyeszermernok

Experiences of lubricating viscose fibers in spinning mill. Magy textil
13 no.5:203-208 My '61.

1. Magyar Gyapjufono es Szovogyar.

HORVATH, Jozsefne

Application of radioactivity in the textile industry. Magy textil 13
no.6:230-233 Je '61.

HORVATH, Jozsef

Experimental spinning on the Sant Andrea worsted-ring spinning machine. Magy textil 14 no. 2:66-72 F '62.

1. Textilipari Kutato Intezet.

HORVATH, Jozsefne, okleveles gepeszmernok

Application of isotopes in the analysis of textile materials.
Magy textil 15 no.11:514-517 '63.

The theory of mixed crystals. István Náray-Sandor and J. L. Horváth, *Hung. Acta Chim.*, 1, No. 3, 33-40 (1948).—The lattice energy and lattice const. of the mixed crystals NaCl-NaBr were calculated by use of the Born-Mayer formula. Only 2 const. (the mol. vol. and the compressibility of the mixed crystals) were necessary. The latter is obtained by linear interpolation on the basis of the compressibility values of the pure crystals. The results differed by 0.01-0.8% from those of Born and Mayer, and by Mayer and Helmholtz in case of lattice const., and by somewhat more in case of lattice energy. The latter lattice energy of the mixed crystal was somewhat lower than that of the pure salts.


2

APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618210010-2"


"APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618210010-2



APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618210010-2"



CA

ABSTRACT: The theoretical treatment of ammonium. II.
L. T. Horváth (Univ. Debrecen, Hung.). *J. Chem. Phys.*
19, 978(1951); cf. C.I. 42, 816b. Errors in calcs. are
corrected. The neutral NH₄ mol. has a nonbonding state
and is unstable.
T. H. Dunkelberger

*General & Applied
Chem - 2*

CP

Calculation of the polarization energy of hydrogen halide molecules. J. I. Horváth (Univ. Debrecen, Hung.). *Z. Physik*, 132, 669-679 (1953).—The method of Gombás and Neugebauer (C.A. 50, 20379) was improved by calcg. the polarization energy of the mol. by adding the polarization energies of the sep. closed electron shells of the halogen anion. For HCl the calcd. dissoci. energy is 12.975 e.v., while the empirical value is 14.19 e.v.; the calcd. equil. nuclear distance is 1.3750 Å, while the spectroscopic value is 1.3184 Å.

James L. Lauer

MORVATH, JANOS

2

342. "Numerical Calculation of Coulombic Energy. Mag
jegyzet a posztodontikus energia számítás kiszámításához.
János Morvath. Magyar Fizikai Folyóirat, v. 1, 1953, p. 19-26
Ciszellenes fitte suggerálta az Uramba-Szegedi módszer
alkalmazására a kölcsönhatásenergia számításához." 

HUNG.

550

2298. The equations of motion of the electron
J. L. Horyaihi. Note in Acta phys. Hungar.
No. 3-4, 191-204 (1954) in German.

The electron is treated classically and relativistically.
A tensor is formed to take account of the spin (and the
velocity-dependent electric dipole) of the electron.
The Langrangian and equations of motion are
obtained and the Riesz method and potential are
employed. The Lenard-Wiechert potential and the
potential arising from the magnetic moment of the
electron are obtained. The calculation of the self-
force is discussed briefly.

G. E. BROWN

HORVATH, J. I.

of

HUNG.

530.145

5921. Remarks on the solution of the Schrödinger

equation by a variational procedure. J. J. Horváth

Note in *Acta phys. Hung.*, 3, No. 3, 1954 (1954)

In German.

The deviations of the eigenfunctions obtained in atomic problems from the true eigenfunctions are discussed. Since the true functions are not known, Hartree-Fock functions must be used in their place in this comparison. The deviation of the potential occurring in the equation for the variational function from the true atomic potential, as a function of r , can also be used as a criterion for the deviation of the eigenfunctions.

G. E. BROWN

✓
R. E. BROWN

HORVATH, J. I.

HUNGARY/Theoretical Physics - Classical Electrodynamics. Classical B-3
Field Theory.

Abs Jour : Ref Zhur - Fizika, No 4, 1958, No 7569

Author : Horvath, J.I.

Inst : University of Szeged, Hungary

Title : The Bilocal Generalization of the Schrödinger-Gordon Equation

Orig Pub : Acta phys. et chem., 1955, 1, No 1-4, 25-28

Abstract : The author discusses the concept of the bilocality in classical field theory. From the variational principle with a bilocal Lagrangian function he obtains a relativistically-invariant bilocal Schrödinger-Gordon equation.

Card : 1/1

Hörwald, J. I. Contribution to the final affine field law.
Acta Physica Polonica, Vol. CL III, 3, 151-155 (1955).

The transformation can

$$(1) \quad \Gamma^{\alpha}_{\mu\nu} = \Gamma^{\alpha}_{\mu\nu} + 2\lambda^{\alpha}\rho_{\mu}$$

preserving par. 1.1.1. yields

$$(2) \quad (n-1)\rho_{\mu} = \Gamma^{\alpha}_{\mu\alpha}$$

for

$$(3) \quad \Gamma^{\alpha}_{\mu\alpha} = 0$$

so that one obtains for the corresponding contracted curvature tensor $R_{\mu\nu}$ the "Ricci" formula

$$(4) \quad R_{\mu\nu} = *R_{\mu\nu} - R_{\mu\nu}$$

with $R_{\mu\nu}$ proportional to $\partial_{\mu}\rho_{\mu}$. In the last section the author expresses the opinion that "the equations of motion in their parameter invariant form must be invariant against changes of the affinities which preserve the parallelism" [C. A. Einstein, Louis de Broglie, physicien et penseur, Editions Albin Michel, Paris, 1953, pp. 337-342, MR 16, 634, and C. H. Hsiung, J. Mathematical Mech., Anal. 3, 645-680 (1954) MR 16, 408].

Category : HUNGARY/Theoretical Physics - Classical Electrodynamics

B-3

Abs Jour : Ref Zhur - Fizika, No 2, 1957, No 2926

Author : Horvath, Janos

Title : Equations of Motion of the Electron

Orig Pub : Magyar tud. akad. mat. es. fiz. oszt. kozl. 1955, 5, No 4, 411-450

Abstract : No abstract

Card : 1/1

HORVATH, J.

Gamma spectroscopy. p. 131. FIZIKAI SZEMLE. (Eotvos Lorand Fisikai Tarsulat) Budapest. Vol. 5. no. 5, Oct 1955.

Source: EEAL - LC Vol 5, No. 10 Oct. 1955

HORVATH, J. T.

Hornfeil, J. J. On the theory of the electromagnetic field
in moving dielectrics. Bell Acad. Publ. Ser. Cl. III
pp. 147-149. 1914

Hornfeil sets up a variational principle for Maxwell's
equations in the presence of matter using the polarization
tensor and the energy-momentum tensor. He then shows that the
equations of motion following from this variational
principle satisfy the energy-momentum tensor as defined
by Weyl. He also states that the energy momentum
tensor of the classical field satisfies the conser-

LEW

APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618210010-2"

690 12
S-128 ON THE THEORY OF THE ELECTROMAGNETIC
FIELD. THE DIPOLE. J. L. Boryai.
Acta Phys. Polonica 13, 177-193 (1958).
A new resistivity diagram is given for the field in insulating
and semiconducting matter. It leads to the Abraham rather than the

"APPROVED FOR RELEASE: 09/21/2001 CIA-RDP86-00513R000618210010-2

APPROVED FOR RELEASE: 09/21/2001 CIA-RDP86-00513R000618210010-2"

HUNGARY/Electricity - General

G-1

Abs Jour : Ref Zhur - Fizika, No 1, 1959, No 1138

Author : Horvath J.I., Hyulai J.
Inst : The University, Szeged, Hungary
Title : Conservation Laws of Electromagnetic Field in Moving
Dielectrics.

Orig Pub : Acta phys. et chem. Szeged, 1956, 2, No 1-4, 39-48

Abstract : The field equations in moving bodies are considered. A conservation law is derived for the electromagnetic field in a moving dielectric. The problem of the energy-momentum tensor of the electromagnetic field is again examined.

Card : 1/1

38

HORVATH APPROVED FOR RELEASE: 09/21/2001 CIA-RDP86-00513R000618210010-2"

New theorem in affine space theories. p. 105.
MAGYAR FIZIKAI FOLYCIRAT. (Magyar Tudomanyos
Akademia) Budapest. Vol. 4, no. 2, 1956.

SOURCE: East European Accessions List (EEAL), Library of Congress,
Vol. 4, No. 12, December 1956

HORVATH, J.; MOOR, A.

Theory of space based on the general metric spaces of elementary particles.
p. 53. Vol. 6, no. 1, 1956 KOZLEMENYFI Budapest, Hungary

Source: East European Accession List. Library of Congress
Vol. 5, No. 8, August 1956

HORVATH, J. I.

Hungary Electricity - General

G-1

Abs Jour : Ref Zhur - Fizika, No 1, 1959, No 1139

Author : Horvath J.I., Gyulai J.
 Inst : The University, Szeged, Hungary
 Title : Appendix to the Paper "On the Conservation Laws for the Electromagnetic Field in Moving Dielectrics".

Orig Pub : Acta phys. et chem. Szeged, 1957, 3, No 1-4, 33-34

Abstract : Supplementing the article by the same authors (see Abstract 1138), it is proven that the form of the radiation tensor proposed by Beck and March are equivalent.

I. Fisher

Card : 1/1

HUNGARY/Theoretical Physics - Classical Electrodynamics. Classification D,
 Theory of Fields.

Abs Jour : Ref Zhur - Fizika, No 9, 1958, No 19626

Author : Horvath J.I., Vasvari B.
 Inst : University of Szeged, Szeged, Hungary
 Title : Generalized Linear Electrodynamics. I.

Orig Pub : Acta phys. Acad. sci. hung., 1957, 7, No 3, 277-288

Abstract : It is noted that in electrodynamics with higher derivatives, in the Podolsky formulation (Podolsky B., Schwed Ph., Reviews of Modern Physics, 1948, 20, 40) a difficulty arises in quantization, owing to the vanishing of the time component of the generalized momentum of the field. The authors propose a new expression for the Lagrangian function of the free field, at which all the momenta of the field are finite, and the field equations are obtained in the form of generalized wave equations without using the supplementary Lorentz condition. The canonical formalism of the theory is developed in detail, as are the derivations for the expressions for

Card : 1/2

HUNGARY/Atomic and Molecular Physics - Statistical Physics.
Thermodynamics.

D

Abs Jour : Ref Zhur Fizika, No 10, 1959, 22372

Author : Horvath, Janos

Inst : ~~University of Szeged~~
Title : Fifty Years of the Langevin Equation; the Principal
Equation for the Dynamics of Molecular Processes

Orig Pub : Fiz. szemle, 1958, 8, No 10, 303-305

Abstract : No abstract.

Card 1/1

HORVATH, Janos

Degrees of inner liberty of physical spaces and geometrical interpretation of the isobar spinter. Magy fiz folyoir 9 no.6:429-475 '61.

1. Szegedi Tudomanyegyetem Elmeleti Fizikai Intezete, Szeged.

(Spaces, Generalized) (Particles)
(Horvath, Janos)

HORVATH, Janos

Electromagnetic measuring systems. Fiz szamla 11 no.10:295-299 0 '61.

1. Szegedi Tudomanyegyetem Elmeleti Fizikai Intenete.

HORVATH, J. I.

"Introduction to mechanics, matter and waves" by Uno Ingard and William L. Kraushaar. Reviewed by J. I. Horvath. Acta phys Hung 13 no. 3:367 '61.

HORVATH, J.I.

Space-time structure and mass spectrum of elementary particles.
Acta phys Hung 16 no.2:77-92 '63.

1. Department of Theoretical Physics, University of Szeged,
Szeged. Presented by A. Konya.

HUNGARY

HORNATH, János, S.; FONYODI, Tivadar; Capital City Laszlo Hospital,
Central Laboratory (Fovarosi Laszlo Kórház, Központi Laboratorium)

"New Indicator for the Mercurimetric Chloride Determination in Bio-
logical Fluids."

Budapest, Május 1. Orvostudomány, Vol XIV, No 6, 1962, pp 665-668.

Abstract: [Authors' summary modified] The advantage of this method over
the more generally used Volhard Mohr method is the elimination of
deproteinization, filtering, cooking. It is fast, accurate and not
light sensitive. No interference is found by ions present in the
fluid with the potassium iodate endpoint. The described mercuri-
metric method is suitable for serum, liquor and urine chloride de-
terminations. If one considers the chemical reaction, this method
is more realistic and the results are closer to actual values- ac-
cording to the authors.

[3 Soviet-bloc, 3 Western references]

7/1